

L Number	Hits	Search Text	DB	Time stamp
-	2	4748668.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/17 14:35
-	2	5130519.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/17 11:24
-	2	5473689.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/17 11:25
-	1	0723251.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/17 11:25
-	3	376115.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/17 11:46
-	3505510	(METHOD WITH APPARATUS WITH user with security wth device).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/17 12:03
-	249548	(METHOD WITH APPARATUS WITH user with security wth device).ti.	EPO	2003/09/17 12:03
-	7	(user same security same device).ti.	EPO	2003/09/17 12:04
-	1	(effecting same mutual same authentication).ti.	EPO	2003/09/17 12:05
-	6	(authenticating same user same access same rights).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/17 12:14
-	4	levy-jordan.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/17 12:16
-	18	(identification adj1 protocol).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/17 12:27
-	170	713/169.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/17 12:28
-	101	713/169.ccls. and protocol	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/17 12:29
-	27	713/169.ccls. and (identif\$8 with protocol)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/17 12:29
-	124	4748668.URPN.	USPAT	2003/09/17 12:31
-	1287	access with private with key	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/17 14:48
-	1158	(access with private with key) and (authenticat\$5 or verif\$5 or identif\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/17 14:38

-	19	((access with private with key) and (authenticat\$5 or verif\$5 or identif\$5)) and predicate	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/17 14:38
-	19	((access with private with key) and (authenticat\$5 or verif\$5 or identif\$5)) and predicate) and @ad<=19990218	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/17 14:39
-	7	((access with private with key) and (authenticat\$5 or verif\$5 or identif\$5)) and predicate) and @ad<=19990218	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/17 14:46
-	0	access with private with key with (authenticat\$5 or verif\$5 or identif\$5) with Shamir	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/17 14:49
-	270	access with private with key with (authenticat\$5 or verif\$5 or identif\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/17 14:49
-	28	(access with private with key with (authenticat\$5 or verif\$5 or identif\$5) ) with (identif\$8 or authentic\$7) with message	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/17 14:50
-	21	((access with private with key with (authenticat\$5 or verif\$5 or identif\$5) ) with (identif\$8 or authentic\$7) with message) same (public with key)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/17 14:51
-	7	((access with private with key with (authenticat\$5 or verif\$5 or identif\$5) ) with (identif\$8 or authentic\$7) with message) same (public with key)) and @ad<=19990218	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/17 14:54
-	27	prove\$5 with access with private with key	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/17 14:54
-	7	(prove\$5 with access with private with key) and @ad<=19990218	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/17 14:56
-	0	((prove\$5 with access with private with key) and @ad<=19990218) and (((access with private with key with (authenticat\$5 or verif\$5 or identif\$5) ) with (identif\$8 or authentic\$7) with message) same (public with key))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/17 14:56
-	4	((prove\$5 with access with private with key) and @ad<=19990218) and (access with private with key with (authenticat\$5 or verif\$5 or identif\$5) )	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/22 14:08
-	14	((verif\$5 or authentic\$8 or identif\$5) with access) same prov\$5 same (public adj3 key) same (identif\$8 adj3 message)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/22 14:15
-	1	((verif\$5 or authentic\$8 or identif\$5) with access) same prov\$5 same (public adj3 key) same (identif\$8 adj3 message) ) and @ad<=19990218	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/22 14:12
-	202	((verif\$5 or authentic\$8 or identif\$5) with access) same prov\$5 same (public adj3 key)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/22 14:15
-	1	(5737419.PN. and (((access with private with key with (authenticat\$5 or verif\$5 or identif\$5) ) with (identif\$8 or authentic\$7) with message) same (public with key)) and @ad<=19990218))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/22 14:15

-	54	(((verif\$5 or authentic\$8 or identif\$5) with access) same prov\$5 same (public adj3 key) ) and @ad<=19990218	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/22 14:18
-	0	(((verif\$5 or authentic\$8 or identif\$5) with access) same prov\$5 same (public adj3 key) ) and @ad<=19990218) and (identif\$8 adj round)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/22 14:19
-	0	(((verif\$5 or authentic\$8 or identif\$5) with access) same prov\$5 same (public adj3 key) ) and @ad<=19990218) and (identif\$8 with round)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/22 14:19
-	0	(((verif\$5 or authentic\$8 or identif\$5) with access) same prov\$5 same (public adj3 key) ) and @ad<=19990218) and ((identif\$8 or authentic\$8 or verif\$5) with round)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/22 14:19
-	235413	((authentic\$8 or verif\$5 or identif\$8)) with (protocol or method)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/22 14:21
-	31812	((authentic\$8 or verif\$5 or identif\$8) with (protocol or method)).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/22 14:21
-	22	(((authentic\$8 or verif\$5 or identif\$8) with (protocol or method)).ti.) and (access same challenge same (random adj number))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/22 14:24
-	11	(((authentic\$8 or verif\$5 or identif\$8) with (protocol or method)).ti.) and (access same challenge same (random adj number))) and @ad<=19990218	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/22 14:34
-	10	(((authentic\$8 or verif\$5 or identif\$8) with (protocol or method)).ti.) and (access same challenge same (random adj number))) and @ad<=19990218) and prov\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/22 14:49
-	2	(((authentic\$8 or verif\$5 or identif\$8) with (protocol or method)).ti.) and (access same challenge same (random adj number))) and @ad<=19990218) and prov\$5 and hash	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/22 14:49
-	11	5987134.URPN.	USPAT	2003/09/22 14:51
-	2	("4926480"   "5191611").PN.	USPAT	2003/09/22 14:51
-	247	hash adj function with random adj number	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/22 15:21
-	61	(hash adj function with random adj number) and (proof or prov\$5) with access	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/22 15:21
-	12	((hash adj function with random adj number) and (proof or prov\$5) with access ) and @ad<=19990218	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/22 15:23
-	4	((hash adj function with random adj number) and (proof or prov\$5) with access ) and @ad<=19990218 and pad	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/22 15:23
-	14	disguising adj function	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/22 15:35

-	29	generat\$5 adj random adj number with hash adj function	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/22 15:36
-	15	(generat\$5 adj random adj number with hash adj function) and @ad<=19990218	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/22 15:48
-	107	pad adj string	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/22 15:50
-	24	(pad adj string) and authenticat\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/22 15:49
-	54	(pad adj string) and @ad<=19990218	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/22 16:16
-	0	challenge same pad\$5 same string same (authentic\$5 or verif\$5 or identif\$5) same (proof or prove) same access	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/22 16:19
-	0	challenge same pad same (authentic\$5 or verif\$5 or identif\$5) same (proof or prove) same access	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/22 16:19
-	60	challenge same (authentic\$5 or verif\$5 or identif\$5) same (proof or prove) same access	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/22 16:19
-	8	(challenge same (authentic\$5 or verif\$5 or identif\$5) same (proof or prove) same access) and @ad<=19990218	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/22 16:25
-	574	public same private same function same authentic\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/22 16:26
-	46	(public same private same function same authentic\$5) and (proof or prove) with access	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/22 16:26
-	10	((public same private same function same authentic\$5) and (proof or prove) with access) and @ad<=19990218	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/22 16:28
-	4568	((authenticat\$5 or idenf\$8) with (protocol or method)).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/22 16:29
-	1460	((((authenticat\$5 or idenf\$8) with (protocol or method)).ti.) and access	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/22 16:29
-	87	(((((authenticat\$5 or idenf\$8) with (protocol or method)).ti.) and access) and key and (random adj number) and challenge and response	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/22 16:30
-	50	((((((authenticat\$5 or idenf\$8) with (protocol or method)).ti.) and access) and key and (random adj number) and challenge and response) and @ad<=19990218	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/23 09:04

-	593	713/168.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/23 09:05
-	592	713/168.ccls. and @ad<=199900218	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/23 09:05
-	275	713/168.ccls. and @ad<=19990218	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/23 09:58
-	2	5473689.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/23 10:06
-	2	6516413.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/23 10:33
-	3	("5987134"   "6088450"   "6173400").PN.	USPAT	2003/09/23 10:06
-	0	6516413.URPN.	USPAT	2003/09/23 10:06
-	3	("5987134"   "6088450"   "6173400").PN.	USPAT	2003/09/23 10:06
-	0	6516413.URPN.	USPAT	2003/09/23 10:07
-	0	6516413.URPN.	USPAT	2003/09/23 10:07
-	2	("4926480"   "5191611").PN.	USPAT	2003/09/23 10:07
-	11	5987134.URPN.	USPAT	2003/09/23 13:21
-	3	("5317636"   "5590202"   "5748763").PN.	USPAT	2003/09/23 10:11
-	0	6353888.URPN.	USPAT	2003/09/23 10:11
-	297	commit adj message	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/23 10:34
-	9	(commit adj message) and (authentic\$8 or verif\$5 or ident\$8).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/23 10:34
-	6	((commit adj message) and (authentic\$8 or verif\$5 or ident\$8).ti.) and @ad<=19990218	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/23 10:36
-	3648	(multiple with (authentic\$8 or verif\$5 or identif\$5)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/23 10:37
-	1092	((multiple with (authentic\$8 or verif\$5 or identif\$5)).ab.) and access	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/23 10:38
-	59	((multiple with (authentic\$8 or verif\$5 or identif\$5)).ab.) and access) and hash	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/23 10:38
-	25	((multiple with (authentic\$8 or verif\$5 or identif\$5)).ab.) and access) and hash ) and @ad<=19990218	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/23 12:02
-	85	public adj key with (verif\$5 or authentic\$8) with access with info\$8	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/23 13:21

-	30	(public adj key with (verif\$5 or authentic\$8) with access with info\$8) and @ad<=19990218	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/23 12:03
-	1	knowledge adj public adj key with (verif\$5 or authentic\$8) with access	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/23 12:10
-	2142	(verif\$5 or authentic\$8 or identif\$5 or allow\$5) with access with capability	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/23 12:14
-	170	((verif\$5 or authentic\$8 or identif\$5 or allow\$5) with access with capability) and public adj key	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/23 12:14
-	68	((verif\$5 or authentic\$8 or identif\$5 or allow\$5) with access with capability) and public adj key) and @ad<=19990218	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/23 12:14
-	2	((verif\$5 or authentic\$8 or identif\$5) with access) same (public adj key) same (private adj key) same (challenge adj response)	USPAT	2003/09/23 14:31
-	0	((verif\$5 or authentic\$8 or identif\$5) with access) same (public adj key) same (private adj key) same (disguising adj function)	USPAT	2003/09/23 14:27
-	14	((verif\$5 or authentic\$8 or identif\$5) with access) same (public adj key) same (private adj key) same (hash adj function)	USPAT	2003/09/23 14:27
-	6	((verif\$5 or authentic\$8 or identif\$5) with access) same (public adj key) same (private adj key) same (hash adj function)) and @ad<=19990218	USPAT	2003/09/23 14:27
-	0	((verif\$5 or authentic\$8 or identif\$5) with access with private adj key) same (public adj key) same (challenge adj response)	USPAT	2003/09/23 14:31
-	2	((verif\$5 or authentic\$8 or identif\$5) with access) same (public adj key) same (challenge adj response)	USPAT	2003/09/23 14:31
-	11	((verif\$5 or authentic\$8 or identif\$5) with access) same (public adj key) same (one adj way adj hash)	USPAT	2003/09/23 14:40
-	5	((verif\$5 or authentic\$8) with access with (public adj key)) same (ident\$8 with (prov\$5 or proof))	USPAT	2003/09/23 14:42
-	4	((verif\$5 or authentic\$8) with access with (public adj key)) same (ident\$8 with (prov\$5 or proof)) and @ad<=19990218	USPAT	2003/09/23 14:44
-	1	((init\$8 adj message\$2) with ((comput\$5 or calculat\$5 or generat\$5) adj (random adj number)))	USPAT	2003/09/23 14:49
-	396	access adj3 private adj1 key	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/23 15:04
-	354	(access adj3 private adj1 key) and (verif\$5 or authentic\$8)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/23 15:04
-	63	((access adj3 private adj1 key) and (verif\$5 or authentic\$8)) and (challenge near10 response)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/23 15:05
-	33	((access adj3 private adj1 key) and (verif\$5 or authentic\$8)) and (challenge near10 response)) and @ad<=19990218	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/23 15:14
-	18881	(generat\$7 or comput\$5) with (random adj number)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/23 15:15

-	438	(generat\$7 or comput\$5) with (random adj1 number) with public adj1 key	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/23 15:16
-	210	((generat\$7 or comput\$5) with (random adj1 number) with public adj1 key) and @ad<=19990218	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/23 15:15
-	150	(generat\$7 or comput\$5) adj (random adj1 number) with public adj1 key	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/23 15:16
-	69	((generat\$7 or comput\$5) adj (random adj1 number) with public adj1 key) and @ad<=19990218	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/24 08:06
-	2	("6073234"   "6161183").PN.	USPAT	2003/09/23 15:27
-	3	6161183.URPN.	USPAT	2003/09/23 15:27
-	22	((know\$5 or comput\$5) adj1 public adj1 key) same ((verif\$5 or authenticat\$5 or grant\$5 or allow\$5) with access)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/24 08:13
-	7	((((know\$5 or comput\$5) adj1 public adj1 key) same ((verif\$5 or authenticat\$5 or grant\$5 or allow\$5) with access)) and @ad<=19990218	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/24 08:16
-	63	((know\$5 or use or comput\$5) adj1 public adj1 key) same ((verif\$5 or authenticat\$5 or grant\$5 or allow\$5) with access)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/24 08:19
-	14	((((know\$5 or use or comput\$5) adj1 public adj1 key) same ((verif\$5 or authenticat\$5 or grant\$5 or allow\$5) with access)) and @ad<=19990218	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/24 08:26
-	353	(random adj1 number) near5 challenge	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/24 08:33
-	306	((random adj1 number) near5 challenge) and authenticat\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/24 08:27
-	274	((random adj1 number) near5 challenge) and authenticat\$5 and access	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/24 08:27
-	144	((random adj1 number) near5 challenge) and authenticat\$5 and access) and @ad<=19990218	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/24 08:28
-	11	((random adj1 number) near5 challenge) same (authenticat\$5 or verif\$5) adj5 access)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/24 08:34
-	3	((((random adj1 number) near5 challenge) same (authenticat\$5 or verif\$5) adj5 access)) and @ad<=19990218	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/24 08:42
-	16	(prov\$5 or proof) adj1 (generat\$5 or calculat\$5 or creat\$5) adj3 (random adj1 number)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/24 08:43

-	11	((prov\$5 or proof) adj1 (generat\$5 or calculat\$5 or creat\$5) adj3 (random adj1 number)) and @ad<=19990218	USPAT; US-PGPUB; EPO; JPO; DERWENT USPAT	2003/09/24 10:17
-	8	("4200770"   "4405829"   "4748668"   "4956863"   "5136642"   "5371794"   "5390252"   "5600725").PN.		2003/09/24 09:43
-	2	6044463.URPN.	USPAT	2003/09/24 09:43
-	4	("5297206"   "5303293"   "5373316"   "6044463").PN.	USPAT	2003/09/24 09:43
-	207	zero adj1 knowledge with (proof or prov\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/24 10:17
-	132	(zero adj1 knowledge with (proof or prov\$5)) and @ad<=19990218	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/24 10:51
-	28	((zero adj1 knowledge with (proof or prov\$5)) and @ad<=19990218) and ((random adj1 number) same challenge)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/24 11:08
-	0	((zero adj1 knowledge with (proof or prov\$5)) and @ad<=19990218) and ((random adj1 number) same challenge same (init\$5 adj1 message) same hash)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/24 11:09
-	1	((zero adj1 knowledge with (proof or prov\$5)) and @ad<=19990218) and ((random adj1 number) same challenge and (init\$5 adj1 message) and hash)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/24 11:09
-	4	("4558176"   "4634807"   "4670857"   "5343527").PN.	USPAT	2003/09/24 11:11
-	76	5343527.URPN.	USPAT	2003/09/24 11:11
-	34350	(method with (verif\$5 or authenticat\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/24 11:44
-	7166	(method with (verif\$5 or authenticat\$5)).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/24 11:45
-	2	6353888.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/24 12:03
-	1	prover adj1 send adj1 init\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/24 12:00
-	2963	(method with proof).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/24 12:01
-	40851	(method with (prov\$5 or proof)).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/24 12:01
-	402	((method with (prov\$5 or proof)).ti.) and 713.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/24 12:02
-	188	((method with (prov\$5 or proof)).ti.) and 713.clas.) and @ad<=19990218	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/24 12:02

-	32	(((((method with (prov\$5 or proof)).ti.) and 713.clas.) and @ad<=19990218) and random adj1 number	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/24 12:04
-	0	(prove adj knowledge adj private adj key).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/24 12:04
-	1	prove adj knowledge adj private adj key	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/24 12:05
-	1	prove adj know\$5 adj private adj key	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/24 12:05
-	2	prove adj access adj private adj key	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/25 10:28
-	18	(identification adj1 protocol).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/25 10:29
-	11	((identification adj1 protocol).ti.) and @ad<=19990218	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/25 10:35
-	1144	identity adj1 based	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/25 11:49
-	0	(identity adj1 based) and chaum.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/25 11:49
-	76	chaum.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/25 11:52
-	0	(identity adj1 based) and (mask\$5 adj function)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/25 11:53
-	560	mask\$5 adj1 functions	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/25 11:53
-	0	(mask\$5 adj1 functions) and (public adj function) and (private adj function)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/25 11:54
-	30	(mask\$5 adj1 functions) and (public or private)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/25 11:56
-	18	((mask\$5 adj1 functions) and (public or private)) and @ad<=19990218	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/25 12:00
-	0	public adj1 masking adj1 function	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/25 12:00

-	0	public adj masking adj function	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/25 12:00
-	26	(public and private) adj1 function	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/25 12:01
-	8	((public and private) adj1 function) and @ad<=19990218	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/25 13:06
-	157	shamir.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/25 13:06
-	26	shamir-adi.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/25 13:17
-	4	identity adj1 based adj public adj key	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/25 13:53
-	193	mask\$5 with (random adj1 number)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/25 13:54
-	1	((mask\$5 with (random adj1 number)) and @ad<=19990218) and challenge adj response	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/25 13:55
-	119	(mask\$5 with (random adj1 number)) and @ad<=19990218	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/25 14:04
-	6	mask\$5 adj random adj1 number	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/25 14:07
-	45	mask\$5 adj3 random adj1 number	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/25 14:07
-	24	(mask\$5 adj3 random adj1 number) and @ad<=19990218	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/25 14:14
-	1011	masking adj function	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/25 14:15
-	0	(masking adj function) and identity-based	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/25 14:15
-	2	(masking adj function) and identity with based	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/25 14:15
-	129	(masking adj function) and identity withbased	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/25 14:15

-	146	(masking adj function) and identification	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/25 14:16
-	115	((masking adj function) and identification ) and @ad<=19990218	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/25 14:16
-	1	(masking adj function) with identification	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/25 14:17